American Journal of Physiology-Renal Physiology

No. 1. JANUARY 2001

INVITED REVIEWS

Ammonium carriers in medullary thick ascending limb
A. Attmane-Elakeb, H. Amlal, and M. Bichara F1

Renal Na^+-glucose cotransporters
E. M. Wright F10

BMP7 controls collecting tubule cell proliferation and apoptosis via Smad1-dependent and -independent pathways
T. D. Piscione, T. Phan, and N. D. Rosenblum F19

ET_B receptor activation causes exocytic insertion of NHE3 in OKP cells
Y. Peng, M. Amemiya, X. Yang, L. Fan, O. W. Moe, H. Yin, P. A. Preisig, M. Yanagisawa, and R. J. Alpern F34

Intrarenal expression and distribution of cyclooxygenase isoforms in rats with experimental heart failure
Z. Abassi, S. Brodsky, O. Gealekman, I. Rubinstein, A. Hoffman, and J. Winaver F43

Androgen-dependent regulation of human angiotensinogen expression in KAP-hAGT transgenic mice
Y. Ding and C. D. Sigmund F54

Proximal tubule cell response to radiographic contrast media
K. Hardiek, R. E. Katholi, V. Ramkumar, and C. Deitrick F61

Increased AT_1 receptor expression and mRNA in kidney glomeruli of AT_2 receptor gene-disrupted mice
J. M. Saavedra, W. Häuser, G. Ciuffo, G. Egidy, K.-L. Hoe, O. Jöhren, T. Sembonmatsu, T. Inagami, and I. Armando F71

Impaired solute accumulation in inner medulla of *Clcnk1−/−* mice kidney
N. Akizuki, S. Uchida, S. Sasaki, and F. Marumo F79

Cytochrome *P*-450 as a source of catalytic iron in minimal change nephrotic syndrome in rats
H. Liu, S. V. Shah, and R. Baliga F88

Short-term K^+ deprivation provokes insulin resistance of cellular K^+ uptake revealed with the K^+ clamp
C. S. Choi, C. B. Thompson, P. K. K. Leong, A. A. McDonough, and J. H. Youn F95

Temporary effects of circulating Amadori products on glomerular filtration properties in the normal mouse
I. Londoño and M. Bendayan F103

Activation of epithelial Na channels during short-term Na deprivation
G. Frindt, S. Masilamani, M. A. Knepper, and L. G. Palmer F112

Acute upregulation of COX-2 by renal artery stenosis
B. Mann, A. Hartner, B. L. Jensen, K. F. Hilgers, K. Höcherl, B. K. Krämer, and A. Kurtz F119

Extracellular adenosine modulates a volume-sensitive-like chloride conductance in immortalized rabbit DC1 cells
I. Rubera, H. Barrière, M. Tauc, M. Bidet, C. Verheecke-Mauze, C. Poujeol, B. Cuiller, and P. Poujeol F126

Role of basolateral carbonic anhydrase in proximal tubular fluid and bicarbonate absorption
S. Tsuruoka, E. R. Swenson, S. Petrovic, A. Fujimura, and G. J. Schwartz F146

Functional role of sodium-calcium exchange in the regulation of renal vascular resistance
F. Schweda, H. Seebauer, B. K. Krämer, and A. Kurtz F155

Urea signaling to ERK phosphorylation in renal medullary cells requires extracellular calcium but not calcium entry
X.-Y. Yang, H. Zhao, Z. Zhang, K. D. Rodland, J.-B. Roullet, and D. M. Cohen F162

Distal tubular electrolyte transport during inhibition of renal 11β-hydroxysteroid dehydrogenase
K. J. Biller, R. J. Unwin, and D. G. Shirley F172

No. 2. FEBRUARY 2001

INVITED REVIEWS

Multiple aspects of mineralocorticoid selectivity
N. Farman and M.-E. Rafestin-Oblin F181

Cellular regulation of endothelial nitric oxide synthase
R. Govers and T. J. Rabelink F193

Renal effects of serine-7 analog of lymphoguanylin in ex vivo rat kidney
M. C. Fonteles, S. L. Carrithers, H. S. A. Monteiro, A. F. Carvalho, G. R. Coelho, R. N. Greenberg, and L. R. Forte F207

Location and function of the epithelial Na channel in the cochlea
V. Couloigner, M. Fay, S. Djelidi, N. Farman, B. Escoubet, I. Runembert, O. Sterkers, G. Friedlander, and E. Ferrary F214

Role of 20-HETE in mediating the effect of dietary K intake on the apical K channels in the mTAL
R. Gu, Y. Wei, H. Jiang, M. Balazy, and W. Wang F223

Renal interstitial adenosine metabolism during ischemia in dogs
A. Nishiyama, S. Kimura, H. He, K. Miura, M. Rahman, Y. Fujisawa, T. Fukui, and Y. Abe F231

Peritubular fluid viscosity modulates H^+ flux in proximal tubules through NO release
P. Díaz-Sylvester, M. Mac Laughlin, and C. Amorena F239

An endocytosis defect as a possible cause of proteinuria in polycystic kidney disease
N. Obermüller, B. Kränzlin, W. F. Blum, N. Gretz, and R. Witzgall F244

Early streptozotocin-diabetes mellitus downregulates rat kidney AT_2 receptors
G. J. Wehbi, J. Zimpelmann, R. M. Carey, D. Z. Levine, and K. D. Burns F254

Molecular and biochemical characterization of prostacyclin receptors in rat kidney
R. Nasrallah, J. Zimpelmann, S. Singh, and R. L. Hébert F266

Na^+-to-sugar stoichiometry of SGLT3
A. Díez-Sampedro, S. Eskandari, E. M. Wright, and B. A. Hirayama F278

NHE3 activity and trafficking depend on the state of actin organization in proximal tubule
C. Chalumeau, D. du Cheyron, N. Defontaine, O. Kellermann, M. Paillard, and J. Poggioli F283

Regulation of MAP kinase by calcium-sensing receptor in bovine parathyroid and CaR-transfected HEK293 cells
O. Kifor, R. J. MacLeod, R. Diaz, M. Bai, T. Yamaguchi, T. Yao, I. Kifor, and E. M. Brown F291

SGK integrates insulin and mineralocorticoid regulation of epithelial sodium transport
J. Wang, P. Barbry, A. C. Maiyar, D. J. Rozansky, A. Bhargava, M. Leong, G. L. Firestone, and D. Pearce F303

Mechanisms of chloride transport in thymic lymphocytes
D. Stakisaitis, M. S. Lapointe, and D. Batlle F314

UT-A3: localization and characterization of an additional urea transporter isoform in the IMCD
J. M. Terris, M. A. Knepper, and J. B. Wade F325

Role of 14–3-3ε, c-Myc/Max, and Akt phosphorylation in HIV-1 gp 120-induced mesangial cell proliferation
A. A. Kapasi, S. Fan, and P. C. Singhal F333

Mechanisms underlying renoprotection during renin-angiotensin system blockade
M. W. Taal, G. M. Chertow, H. G. Rennke, A. Gurnani, T. Jiang, A. Shahsafaei, J. L. Troy, B. M. Brenner, and H. S. Mackenzie F343

Pendrin: an apical $Cl^-/OH^-/HCO_3^-$ exchanger in the kidney cortex
M. Soleimani, T. Greeley, S. Petrovic, Z. Wang, H. Amlal, P. Kopp, and C. E. Burnham F356

No. 3. MARCH 2001

INVITED REVIEWS

Estrogen-induced cardiorenal protection: potential cellular, biochemical, and molecular mechanisms
R. K. Dubey and E. K. Jackson F365

NHERF: targeting and trafficking membrane proteins
S. Shenolikar and E. J. Weinman F389

A gel-membrane model of glomerular charge and size selectivity in series
M. Ohlson, J. Sörensson, and B. Haraldsson F396

Interactions of adenosine A_1 and A_{2a} receptors on renal microvascular reactivity
A. Nishiyama, E. W. Inscho, and L. G. Navar F406

α_1-Adrenergic receptors activate NHE1 and NHE3 through distinct signaling pathways in epithelial cells
F. Liu and F. A. Gesek F415

Na^+/H^+-exchange activity and immunolocalization of NHE3 in rat epididymis
C. Bagnis, M. Marsolais, D. Biemesderfer, R. Laprade, and S. Breton F426

Remodeling the cellular profile of collecting ducts by chronic carbonic anhydrase inhibition
C. Bagnis, V. Marshansky, S. Breton, and D. Brown F437

Genetic deletion of COX-2 prevents increased renin expression in response to ACE inhibition
H.-F. Cheng, J.-L. Wang, M.-Z. Zhang, S.-W. Wang, J. A. McKanna, and R. C. Harris F449

Segmental expression of somatostatin receptor subtypes sst_1 and sst_2 in tubules and glomeruli of human kidney
D. A. Balster, M. S. O'Dorisio, M. A. Summers, and M. A. Turman F457

Posttranscriptional regulation of human iNOS by the NO/cGMP pathway
D. Pérez-Sala, E. Cernuda-Morollón, M. Díaz-Cazorla, F. Rodríguez-Pascual, and S. Lamas F466

NO/cGMP signaling modulates regulation of Na^+-K^+-ATPase activity by angiotensin II in rat proximal tubules
C. Zhang and P. R. Mayeux F474

Glucose scavenging of nitric oxide
S. V. Brodsky, A. M. Morrishow, N. Dharia, S. S. Gross, and M. S. Goligorsky F480

Molecular characterization of a novel urea transporter from kidney inner medullary collecting ducts
C. Shayakul, H. Tsukaguchi, U. V. Berger, and M. A. Hediger F487

Stimulation of pro-α_1(I) collagen by TGF-β_1 in mesangial cells: role of the p38 MAPK pathway
B. Y. Chin, A. Mohsenin, S. X. Li, A. M. K. Choi, and M. E. Choi F495

Membrane topology and immunolocalization of CHIF in kidney and intestine
H. Shi, R. Levy-Holzman, F. Cluzeaud, N. Farman, and H. Garty F505

Fasting downregulates renal water channel AQP2 and causes polyuria
H. Amlal, Q. Chen, K. Habo, Z. Wang, and M. Soleimani F513

The renal nerve is required for regulation of proximal tubule transport by intraluminally produced ANG II
A. Quan and M. Baum F524

The distal convoluted tubule of rabbit kidney does not express a functional sodium channel
H. Velázquez, T. Silva, E. Andújar, G. V. Desir, D. H. Ellison, and R. Greger F530

A possible role for metalloproteinases in renal cyst development
N. Obermüller, N. Morente, B. Kränzlin, N. Gretz, and R. Witzgall F540

No. 4. APRIL 2001

INVITED REVIEWS

The concept of cellular "fight-or-flight" reaction to stress
M. S. Goligorsky F551

Megalin and cubilin: synergistic endocytic receptors in renal proximal tubule
E. I. Christensen and H. Birn F562

Alternatively spliced isoform of apical Na^+-K^+-Cl^- cotransporter gene encodes a furosemide-sensitive Na^+-Cl^-cotransporter
C. Plata, P. Meade, A. Hall, R. C. Welch, N. Vázquez, S. C. Hebert, and G. Gamba F574

Influence of Ca^{2+}-activated K^+ channels on rat renal arteriolar responses to depolarizing agonists
R. W. Fallet, J. P. Bast, K. Fujiwara, N. Ishii, S. C. Sansom, and P. K. Carmines F583

Chronic NOS inhibition reverses systemic vasodilation and glomerular hyperfiltration in pregnancy
M. A. Cadnapaphornchai, M. Ohara, K. G. Morris, Jr., M. Knotek, B. Rogachev, T. Ladtkow, E. P. Carter, and R. W. Schrier F592

Transport asymmetry in peritoneal dialysis: application of a serial heteroporous peritoneal membrane model
D. Venturoli and B. Rippe F599

Renal concentrating defect in mice lacking group IV cytosolic phospholipase A_2
P. Downey, A. Sapirstein, E. O'Leary, T.-X. Sun, D. Brown, and J. V. Bonventre F607

Altered membrane-cytoskeleton linkage and membrane blebbing in energy-depleted renal proximal tubular cells
J. Chen and M. C. Wagner F619

Endothelin is a potent inhibitor of matrix metalloproteinase-2 secretion and activation in rat mesangial cells
J. Yao, T. Morioka, B. Li, and T. Oite F628

Two apical multidrug transporters, P-gp and MRP2, are differently altered in chronic renal failure
D. Laouari, R. Yang, C. Veau, I. Blanke, and G. Friedlander F636

A quantitative analysis of the glomerular charge barrier in the rat
J. Sörensson, M. Ohlson, and B. Haraldsson F646

Antisense GLUT-1 protects mesangial cells from glucose induction of GLUT-1 and fibronectin expression
C. W. Heilig, J. I. Kreisberg, S. Freytag, T. Murakami, Y. Ebina, L. Guo, K. Heilig, R. Loberg, X. Qu, Y. Jin, D. Henry, and F. C. Brosius III F657

Hypoxia and high glucose cause exaggerated mesangial cell growth and collagen synthesis: role of osteopontin
C. P. Sodhi, S. A. Phadke, D. Batlle, and A. Sahai F667

Aldosterone induces rapid apical translocation of ENaC in early portion of renal collecting system: possible role of SGK
J. Loffing, M. Zecevic, E. Féraille, B. Kaissling, C. Asher, B. C. Rossier, G. L. Firestone, D. Pearce, and F. Verrey F675

Inflammation is probably not a prerequisite for renal interstitial fibrosis in normoglycemic obese rats
S. Lavaud, B. Poirier, C. Mandet, M.-F. Bélair, T. Irinopoulou, D. Heudes, R. Bazin, J. Bariéty, I. Myara, and J. Chevalier F683

Glomerular laminin isoform transitions: errors in metanephric culture are corrected by grafting
P. L. St. John, R. Wang, Y. Yin, J. H. Miner, B. Robert, and D. R. Abrahamson F695

Upregulation of juxtaglomerular NOS1 and COX-2 precedes glomerulosclerosis in fawn-hooded hypertensive rats
W. Weichert, A. Paliege, A. P. Provoost, and S. Bachmann F706

Compensatory increase in AQP2, p-AQP2, and AQP3 expression in rats with diabetes mellitus
L. N. Nejsum, T.-H. Kwon, D. Marples, A. Flyvbjerg, M. A. Knepper, J. Frøkiær, and S. Nielsen F715

Post-cyclosporine-mediated hypertension and nephropathy: amelioration by vascular endothelial growth factor
D.-H. Kang, Y.-G. Kim, T. F. Andoh, K. L. Gordon, S.-I. Suga, M. Mazzali, J. A. Jefferson, J. Hughes, W. Bennett, G. F. Schreiner, and R. J. Johnson F727

ANNOUNCEMENTS F737

No. 5. MAY 2001

INVITED REVIEWS

Function and spatial distribution of ion channels and transporters in cell migration
A. Schwab F739

Ion permeation and selectivity in ClC-type chloride channels
C. Fahlke F748

Na^+-alanine uptake activates a Cl^- conductance in frog renal proximal tubule cells via nonconventional PKC
I. D. Millar and L. Robson F758

Long-term adaptation of renal cells to hypertonicity: role of MAP kinases and Na-K-ATPase
J. M. Capasso, C. J. Rivard, and T. Berl F768

Contributions of angiotensin II and tumor necrosis factor-α to the development of renal fibrosis
G. Guo, J. Morrissey, R. McCracken, T. Tolley, H. Liapis, and S. Klahr F777

Flow-dependent K^+ secretion in the cortical collecting duct is mediated by a maxi-K channel
C. B. Woda, A. Bragin, T. R. Kleyman, and L. M. Satlin F786

Absence of aquaporin-4 water channels from kidneys of the desert rodent *Dipodomys merriami merriami*
Y. Huang, R. Tracy, G. E. Walsberg, A. Makkinje, P. Fang, D. Brown, and A. N. Van Hoek F794

Cellular localization of divalent metal transporter DMT-1 in rat kidney
C. J. Ferguson, M. Wareing, D. T. Ward, R. Green, C. P. Smith, and D. Riccardi F803

The calcium-sensing receptor regulates calcium absorption in MDCK cells by inhibition of PMCA
K. A. Blankenship, J. J. Williams, M. S. Lawrence, K. R. McLeish, W. L. Dean, and J. M. Arthur F815

Acquired lecithin-cholesterol acyltransferase deficiency in nephrotic syndrome
N. D. Vaziri, K. Liang, and J. S. Parks F823

Effects of P-glycoprotein on cell volume regulation in mouse proximal tubule
Y. Miyata, Y. Asano, and S. Muto F829

Endothelial nitric oxide synthase plays an essential role in regulation of renal oxygen consumption by NO
S. Adler, H. Huang, K. E. Loke, X. Xu, H. Tada, A. Laumas, and T. H. Hintze F838

SFKs, Ras, and the classic MAPK pathway couple muscarinic receptor activation to increased Na-HCO_3 cotransport activity in renal epithelial cells
R. B. Robey, O. S. Ruiz, J. Baniqued, D. Mahmud, D. J. D. Espiritu, A. A. Bernardo, and J. A. L. Arruda F844

Overexpression of protein kinase G using adenovirus inhibits cyclin E transcription and mesangial cell cycle
S. Hanada, Y. Terada, S. Inoshita, S. Sasaki, S. M. Lohmann, A. Smolenski, and F. Marumo F851

Effect of water deprivation and hypertonic saline infusion on urinary AQP2 excretion in healthy humans
R. S. Pedersen, H. Bentzen, J. N. Bech, and E. B. Pedersen F860

$1,25(OH)_2D_3$ stimulates Mg^{2+} uptake into MDCT cells: modulation by extracellular Ca^{2+} and Mg^{2+}
G. Ritchie, D. Kerstan, L.-J. Dai, H. S. Kang, L. Canaff, G. N. Hendy, and G. A. Quamme F868

Localization of GFP-tagged concentrative nucleoside transporters in a renal polarized epithelial cell line
L. M. Mangravite, J. H. Lipschutz, K. E. Mostov, and K. M. Giacomini F879

Ischemic injury induces ADF relocalization to the apical domain of rat proximal tubule cells
S. L. Ashworth, R. M. Sandoval, M. Hosford, J. R. Bamburg, and B. A. Molitoris F886

Maturation of carbonic anhydrase IV expression in rabbit kidney
C. A. Winkler, A. M. Kittelberger, R. H. Watkins, W. M. Maniscalco, and G. J. Schwartz F895

Urea inhibits hypertonicity-inducible TonEBP expression and action
W. Tian and D. M. Cohen F904

Contribution of Na^+-K^+-$2Cl^-$ cotransporter NKCC1 to Cl^- secretion in rat OMCD
S. M. Wall, M. P. Fischer, P. Mehta, K. A. Hassell, and S. J. Park F913

RAPID COMMUNICATION

Regulation of proximal tubule sodium/hydrogen antiporter with chronic volume contraction
K. A. Fisher, S. H. Lee, J. Walker, C. Dileto-Fang, L. Ginsberg, and S. R. Stapleton F922

No. 6. JUNE 2001

INVITED REVIEWS

P2 receptors in regulation of renal microvascular function
E. W. Inscho F927

Extracellular nucleotide signaling along the renal epithelium
E. M. Schwiebert and B. K. Kishore F945

Adrenomedullin gene delivery attenuates renal damage and cardiac hypertrophy in Goldblatt hypertensive rats
C. Wang, E. Dobrzynski, J. Chao, and L. Chao F964

Arginine vasopressin stimulates mesangial cell proliferation by activating the epidermal growth factor receptor
P. M. Ghosh, M. Mikhailova, R. Bedolla, and J. I. Kreisberg F972

Angiotensin IV induces tyrosine phosphorylation of focal adhesion kinase and paxillin in proximal tubule cells
J.-K. Chen, J. Zimpelmann, R. C. Harris, and K. D. Burns F980

Uremic levels of urea inhibit L-arginine transport in cultured endothelial cells
S. Xiao, L. Wagner, james Mahaney, and C. Baylis F989

Uremic levels of BUN do not cause nitric oxide deficiency in rats with normal renal function
S. Xiao, A. Erdely, L. Wagner, and C. Baylis F996

Localization of prostaglandin E_2 EP2 and EP4 receptors in the rat kidney
B. L. Jensen, J. Stubbe, P. B. Hansen, Ditte Andreasen, and O. Skøtt F1001

Epithelial Na^+ channels are regulated by flow
L. M. Satlin, S. Sheng,* C. B. Woda, and T. R. Kleyman* F1010

cAMP-dependent fluid secretion in rat inner medullary collecting ducts
D. P. Wallace, L. A. Rome, L. P. Sullivan, and J. J. Grantham F1019

In vitro phosphorylation of COOH termini of the epithelial Na^+ channel and its effects on channel activity in *Xenopus* oocytes
A. Chigaev, G. Lu, H. Shi, C. Asher, R. Xu, H. Latter, R. Seger, H. Garty, and E. Reuveny F1030

Expression of fibronectin splice variants in the postischemic rat kidney
A. Zuk, J. V. Bonventre, and karl S. Matlin F1037

Calcium signaling pathways utilized by P2X receptors in freshly isolated preglomerular MVSMC
S. M. White, J. D. Imig, T.-T. Kim, B. C. Hauschild, and E. W. Inscho F1054

Dynamic characteristics and underlying mechanisms of renal blood flow autoregulation in the conscious dog
A. Just, H. Ehmke, L. Toktomambetova, and H. R. Kirchheim F1062

A mathematical model of rat cortical collecting duct: determinants of the transtubular potassium gradient
A. M. Weinstein F1072

Immunocytochemical and immunoelectron microscopic localization of α-, β-, and γ-ENaC in rat kidney
H. Hager, T.-H. Kwon, A. K. Vinnikova, S. Masilamani, H. L. Brooks, J. Frøkiaer, M. A. Knepper, and S. Nielsen F1093

Albumin overload induces apoptosis in LLC-PK_1 cells
E. Erkan, M. De Leon, and P. Devarajan F1107

ANNOUNCEMENTS

F1115